


BEET HEET®

THE RED HOT GREEN DEICER


NOW USED AT

400+

LOCATIONS!



BEET HEET®
users have won the national APWA
Excellence in Snow & Ice Control
Award 15 times in the last 17 years!



*** *BEET HEET***®
Concentrate Is
99% Biodegradable
****BEET HEET Concentrate Formula***
"Readily" Biodegradable in 8 days!



BEET HEET IS NOT BEET JUICE!!

BEET HEET[®]

What You Need To Know About BEET HEET[®] (BH)

- BH is **NOT** “beet juice”. It won’t plug strainers or fill tanks with sludge.
- BH contains **more total active ingredient** than any deicer in North America.
- BH is “**ready**” **bio-degradable**. It’s safe for the environment.
- BH, when blended with brine 50/50, has a **biochemical oxygen demand** of **NOT DETECTABLE** at 39.2°F.
- BH has the ability to **reduce chloride emissions** more than any other liquid pre-wet in North America.

What You Need To Know About BEET HEET[®] Users

- Some of the **largest agencies** in North America use BH. 8 state DOTs will be using BH this winter.
- Some of the **most advanced agencies** in North America use BH. BH users have been awarded the national APWA *Excellence In Snow & Ice Control Award* 15 times in the last 17 years.
- Agencies in Wisconsin and Minnesota have deiced highways with BH treated rock salt at **-25°F**. Some anti-iced at **-15°F**.
- Agencies in or near Duluth, MN, International Falls, MN, Bismarck, ND and Fargo, ND have had **unparalleled success** with BH. In their own words, they’ve never seen a deicer perform like BH.

What You Need To Know About K-Tech


- K-Tech has the **quickest deliveries** in the industry, bar none.
- K-Tech has the most extensive collection of **deicer test data** in the industry. Would you like to know what’s in your current deicer?
- K-Tech has the most **comprehensive user’s guide** in the industry.
- K-Tech has the only **temperature driven blend and application rate guide** in the industry making transition to BH quick, easy and failsafe.

For more details, or to schedule a meeting or webinar, reply to:
dpreston@ktechcoatings.com, for IL, IN, MI, OH, KY, PA and east.

400+
LOCATIONS!

WHO'S USING
BEET HEET®

400+
LOCATIONS!



Hundreds of agencies in 15 states have transitioned away from 32% CaCl₂, “beet juice” and various “super-mix” deicers in favor of ***BEET HEET***. In fact, ***BEET HEET*** users have won the National APWA *Excellence In Snow & Ice Control Award* 15 times in the last 17 years! What do all of these agencies see in ***BEET HEET***? Please read on.

WHAT IS

BEET HEET[®]




4 CHLORIDES

- Calcium Chloride
- Magnesium Chloride
- Sodium Chloride
- Potassium Chloride

4 CARBOHYDRATES

- Sucrose Sugar
- Glucose Sugar
- Fructose Sugar
- Raffinose Sugar

What ***BEET HEET***[®] is **NOT**





The Importance of Sugar

BEET HEET® Concentrate (BHC) contains significantly more sugar than any organic/chloride deicer in North America. When it comes to enhancing the deicing and anti-icing performance of rock salt and sodium chloride brine, the benefits of adding sugar are far reaching and significantly more important than many snowfighters realize. Here are several performance enhancing benefits that the sugars in BHC provide when BHC is added to rock salt and brine in meaningful levels.

1. The sugars in BHC suppress the freeze point of rock salt and brine.
2. The sugars in BHC lower the effective working temperature of rock salt and brine.
3. The sugars in BHC increase the ice melt capacity of rock salt and brine.
4. The sugars in BHC significantly reduce the corrosion value of rock salt and brine.
5. The sugars in BHC act as cryoprotectants. Cryoprotectants slow down the rate at which melted snow and ice refreeze. This is a huge benefit because most roadway surfaces deicers are applied to are crowned. Slowing down the rate of refreeze allows much more melted snow and ice to run off the road surface before it refreezes.
6. Cryoprotectants also inhibit the formation of ice crystals. Deicers and anti-icers containing sugar at meaningful levels are significantly more effective at preventing frost and ice formations.
7. The sugars in BHC significantly strengthen & extend the anti-bonding characteristics of rock salt and NaCl brine. This is huge considering the costs of chiseling and melting off bonded precipitation verses the costs of peeling off un-bonded precipitation.
8. The sugars in BHC significantly strengthen and extend the residual effect of rock salt and NaCl brine. In fact, just the leftover residue from BHC treated rock salt acts as an effective anti-icer at the next snow event.
9. The sugars in BHC act as a tackifier. Pre-wetting rock salt with a heavy, sticky tackifier reduces bounce and scatter loss far more than pre-wetting agents containing little to no sugar. When it comes to anti-icing, the longer an anti-icer is held in the target area, the more ice it will melt in the target area. Anti-icers with little to no sugar quickly dilute out and are washed away, or they dry up and blow away.
10. The dark sugars in BHC darken rock salt and brine which increases their ability to absorb heat in the form of solar radiation. If they absorb heat, they're also emitting heat, which significantly improves their ice melting capacity. Even on cloudy days about 50% of the sun's radiation reaches the earth's surface. Clear deicers like 32% CaCl₂, 23.3% NaCl brine and deicers containing corn syrup do not have this transforming ability.


BEET HEET®

PERFORMANCE IS EVERYTHING!

Pre-Wetted Rock Salt - Ice Melting Performance Comparison @ 25°F

Modified SHRP H-205.1 Ice Melt Capacity Solids


Advanced Laboratories, Inc. Salt Lake City, UT - Margin of Error 3.6%



Pre-Wetted Rock Salt - Treated Rock Salt Needed Comparison @ 25°F

Based On Modified SHRP H-205.1 Ice Melt Capacity Solids

Advanced Laboratories, Inc. Salt Lake City, UT - Margin of Error 3.6%





PERFORMANCE IS EVERYTHING!

SALT STOCKPILE TREATMENT

BEET HEET® Concentrate (BHC)

- Evenly apply to salt at 5 gallons per ton and turn until uniformly coated and colored.
- Rock salt must have a moisture content of less than 1.5%
- If the salt's moisture content is greater than 1.5%, apply at 4 gallons per ton

Benefits at 5 gal/ton

- Melts up to 65.1% more ice than untreated rock salt at 5 gal. per ton at 25°F*
- Melts up to 153.2% more ice than untreated rock salt at 5 gal. per ton at 15°F*
- Melts up to 38.1% more ice than 32% CaCl₂ treated salt at 5 gal. per ton at 25°F*
- Reduce salt application rates 28% at 25°F if transitioning from “beet juice” pre-wet.
- Reduce salt application rates 27% at 25°F if transitioning from 32% CaCl₂ pre-wet.
- Reduce salt application rates 39% at 25°F if transitioning from untreated rock salt.
- Low effective working surface temperature, Lower than -12.5°F

SALT PRE-WETTING

BEET HEET® Blends

- BHC can be used as a pre-wet at 100%, but we recommend cutting BHC with 23.3% NaCl brine 50% to 75%.
- Apply at 5 to 20 gallons per ton depending on blend ratio and incoming weather.

Benefits

- Melts up to 65% more ice than untreated rock salt at 25°F*
- Melts up to 153% more ice than untreated rock salt at 15°F*
- Melts up to 38% more ice than 32% CaCl₂ treated salt at 25°F*
- Reduce salt application rates up to 28% at 25°F if transitioning from beet juice pre-wet
- Reduce salt application rates up to 39% at 25°F if transitioning from untreated rock salt
- Low effective working surface temperature, -22.5°F

DIRECT APPLICATION ANTI-ICING & DEICING

- Apply at 20 to 57.5 gallons per l/m depending on BHC/NaCl brine blend and temperature.

Benefits

- Melts up to 26% more ice than 23.3% NaCl brine at 20°F*
- Melts up to 19% more ice than a 10/15/75 “super-mix” anti-icer at 20°F*
- Melts up to 16% more ice than a S30/70 “beet juice” anti-icer at 20°F*
- Far superior anti-bonding properties allowing much easier snow and ice removal
- Superior residual properties reducing the number of applications per event and season
- Low effective working surface temperature, -12.5°F to -17.5°F

* Advanced Laboratories, Inc. Salt Lake City, Utah

BEET HEET[®]

Brine treated rock salt is nearly 50% more costly to use than self made **BEET HEET[®] Severe** treated salt!

**64%
MORE
salt**

1,000 tons at \$75.00 per ton = \$75,000

\$75,000

Brine Treated Rock Salt

10,000 gallons of brine at \$0.20 per gallon = \$2,000

\$2,000

**\$77,000
Total Cost**

**64%
MORE
liquid**

**48%
MORE
costly**

**39%
LESS
salt**

1,000 tons – 38.7% = 609 tons @ \$75.00 per ton = \$45,675

**BEET HEET
Severe** Treated Rock Salt

\$45,675

6,092 gallons of self made BEET HEET Severe at \$1.04 per gallon = \$6,335

\$6,335

\$6,336

**\$52,010
Total Cost**

**39%
LESS
liquid**

**32%
LESS
costly**



RETURN ON INVESTMENT (ROI)

**Self Made BEET HEET Severe Pre-wet
VS
23.3% NaCl Brine Pre-wet**

394%

Before Integrating BH Severe - BEET HEET Severe Treated Salt 10 gal/ton (projected)	
Current tons of salt being used per season	1,000
Gallons of 23.3% Brine required at 10 gallons per ton.	10,000
Total cost of rock salt purchases	\$75,000.00
Total cost of 23.3% Brine	\$2,000.00
Total cost in rock salt purchases, and 23.3% Brine purchases, if any	\$77,000.00
After Integrating BH Severe - BEET HEET Severe Treated Salt 10 gal/ton (projected)	
Tons of BH Severe treated salt needed to melt the same amount of ice	609
Gallons of BH Severe required at 10 gallons per ton.	6,092
Total cost of rock salt purchases after integrating BH Severe	\$45,689.66
Total cost of self made BH Severe at \$1.04 per gallon.	\$6,335.63
Total cost in rock salt purchases and BH Severe purchases	\$52,025.29
Savings by Integrating BH Severe- BEET HEET Severe Treated Salt 10 gal/ton (projected)	
Number of 25 ton semi-trailer loads of rock salt (sodium chloride) saved by using BH Severe	15.6
Net total savings realized on investment in BH Severe	\$24,974.71
Net total return on investment in BH Severe	394.19%
Rock salt reduction required using BH Severe to reach the BREAK EVEN POINT	9.84%
How much is your \$0.20 23.3% Brine actually costing your agency in lost savings (per gal.)	\$2.50
Your current material costs (rock salt & pre-wet) using 23.3% Brine are much higher.	48.00%



BEET HEET[®] vs. beet juice

DE-SUGARED 55% Solids Beet Juice

- Consistency - Very Inconsistent (Easily verified by laboratory testing)
- Total Sugar Content 18.3% (+/- 1.0%)
- Total Chloride Content 0.6% (+/- 0.5%)
- Total Active Ingredient Content <18.9% (+/- 1.5%) **(48% less vs. BHC)**
- Price Per each 1% of Active Ingredient = \$0.096 **(90% higher vs. BHC)**
- Breathtaking Odor.
- Prone to Bacterial Growth **(Bacteria consumes sugar, reduces active ingredient content)**
- Plugging Issues (Tank sludge and plugging issues widely reported)
- Promoted as “non-chloride” deicer but can’t melt ice without adding chloride! Once activated with chloride, beet juice is a chloride deicer.
- At 5 gal. per ton, beet juice treated salt melts about 22.4% less ice than BHC at 25°F.

BEET HEET[®] Concentrate (BHC)

- Absolutely NO “beet juice” added
- Contains processed beet molasses. (No sludge or plugging issues)
- Consistency - Very Consistent (molasses is not a waste-stream product)
- Total Sugar Content 15.1 (+/- 1.0%)
- Total Chloride Content >21.4% (+/- 1.0%)(Over 35 times more vs. beet juice)
- Total Active Ingredient Content >36.5% (+/- 2.0%) **(94% more vs. beet juice)**
- Price Per 1% of Active Ingredient = \$0.048 **(48% lower vs. beet juice)**
- Odor – Coffee, Syrup or Chocolate (sweet compared to beet juice)
- Bacteria can’t survive in BHC (no loss of active ingredient)
- No Plugging or Tank Slugging Issues (none reported)
- Stand Alone Ice Melter (no time and effort of mixing with chloride required)
- At 5 gal/per ton, BHC treated salt melts about 28.8% more ice than beet juice at 25°F.

Conclusion

Beet juice costs 90% more than BHC when considering price per each 1% of active ingredient! Because beet juice contains 48% less active ingredient than BHC, beet juice treated salt melts about 22.4% less ice than BHC treated salt at 25°F. Therefore, beet juice users must use about 28.8% more salt to melt the same amount of ice as BHC treated salt. This means that **beet juice users are discharging much more chloride into their local environment than necessary.**

They’re also spending much more on rock salt than necessary. Transitioning to BHC would allow current beet juice users to reduce their salt application rates by about 22.4% and still melt the same amount of ice as beet juice treated salt. **Transitioning to BHC would also decrease beet juice user’s chloride emissions and salt costs by about 22.4%.**



BEET HEET® vs. beet juice

Category	BEET HEET Concentrate	55% Solids Beet Juice
Plugging of Strainers & Nozzles	No	Yes
Bacterial Growth/Diminishing Active Ingredient	No	Yes
Fallout/Tank Sludge	No	Yes
Requires Added Chloride to Melt Ice	No	Yes
Appearance	Dark Brown	Dark Brown
Odor	Coffee - Syrup	Offensive
Specific Gravity	1.29 +/- 0.015	1.27 +/- .02
Freeze Point	-23.8°F	-22.5°F*
Weight/Gallon lbs.	10.75 +/- .15	10.5 +/- .20
pH (using proper PNS test method)	7 +/- 1	7 +/- 1
Solids Content (by weight)(by volume)	(39%)(51%) +/- 2%	(43%)(55%) +/- 2%
Ingredient Consistency	Very Consistent	Very <u>In</u> consistent
Non-Exothermic (NaCl)(KCl) Chloride Content by weight	6.1% +/- 1%	0.6%* +/- 1%
Exothermic (CaCl2)(MgCl2) Chloride Content by weight	15.3% +/- 1%	0.0%*
Sugar Content by weight	15.1% +/- 1%	18.3%* +/- 5%
Total Active Ingredient Content by weight	36.5% +/- 2% (+94%)	18.9%+/-1.5%(-48%)
Ice Melt Performance @ 25°F (Treated salt @ 5 gal/ton)	28% more	22% less
Ice Melt Performance @ 15°F (Treated salt @ 5 gal/ton)	38% more	27% less
Chloride Emissions @ 25°F (Treated salt @ 5 gal/ton)	22% less †	28% more †
Chloride Emissions @ 15°F (Treated salt @ 5 gal/ton)	27% less †	38% more †
Average Delivered Cost Per Gallon (195 mi from plant)	\$1.88	\$1.88
Average Delivered Cost Per Each 1% of Active Ingredient	0.051 (48% lower)	\$1.00 (94% higher)
Average Delivery Time	24 to 72 hours	3 to 5 days
* Averaged count due to product inconsistency		
† Based on the amount of treated rock salt required to melt the same amount of ice.		

This Is Simple Logic

More Active Ingredient = Better Performance
Better Performance = Lower Application Rates
Lower Application Rates = Lower Material Costs
Lower Application Rates = Lower Chloride Emissions



BEET HEET[®] vs. CaCl₂

32% Calcium Chloride (CaCl₂)

- Total Sugar Content 0.0%
- Total Chloride Content 32.0% (+/- 1%)
- Total Active Ingredient Content 32% (+/- 1%) **(13.0% less vs. BHC)**
- PNS Corrosion Value = 121 **(717.5% more corrosive than BHC)**
- At 7 gal/ton, 32% CaCl₂ treated salt melts about 27.5% less ice than BH at 25°F.
- **32% CaCl₂ cannot darken rock salt or brine like BHC does!** The darker rock salt and brine are, the more solar radiation (heat) they absorb. If they are absorbing heat, they are emitting heat as well.

BEET HEET[®] Concentrate (BHC)

- Total Sugar Content >15.1% (+/- 1%)
- Total Chloride Content >21.4% (+/- 1%)
- Total Active Ingredient Content >36.5% (+/- 2%) **(15.0% more vs. 32% CaCl₂)**
- PNS Corrosion Value = 14.8 **(87.7% less corrosive than 32% CaCl₂)**
- At 5 gal. per ton, BHC treated salt melts about 38.1% more ice than 32% CaCl₂ treated salt at 25°F.
- BHC darkens rock salt and brine, **transforming them into solar radiation absorbers and heat emitters.** At 27°F, BHC treated rock salt can be as much as 5°F warmer than white rock salt. A 50/50 blend of BHC and 23.3% NaCl brine can be as much as 10°F warmer than a clear chloride solution.

Conclusion

Because 32% CaCl₂ contains 13.0% less active ingredient than BHC and does not contain any sugar, 32% CaCl₂ treated salt melts about 27.5% less ice than BHC treated salt at 25°F. Therefore, 32% CaCl₂ users must use about 38.1% more salt to melt the same amount of ice as BHC treated salt. This means that **32% CaCl₂ users are discharging about 38.1% more chloride into their local environment than necessary.** They're also spending about 38.1% more on rock salt than necessary.

Transitioning to BHC would allow current 32% CaCl₂ users to reduce their salt application rates by about 27.5% and still melt the same amount of ice as 32% CaCl₂ treated salt. They would also be reducing their **chloride emissions and rock salt costs by about 27.5%.**

Because 32% CaCl₂ does not contain dark sugar like BHC, (See page 4 of this booklet) it has no ability to transform rock salt or brine into radiation absorbers and heat emitters. This, along with a 27.5% lower ice melt capacity makes it **impossible for 32% CaCl₂ to outperform BHC in the laboratory or in the field.** Couple these performance shortcomings with the fact that 32% CaCl₂ is over 700% more corrosive than BHC, it's very difficult to justify the use of 32% CaCl₂ over BHC.

BEET HEET[®]


CORROSION DATA

How does BEET HEET[®] Concentrate (BHC) compare to other popular deicers when it comes to corrosion value?

- 32% calcium chloride is more than **700% more corrosive** than BHC.
- 23.3% sodium chloride brine is **575% more corrosive** than BHC.
- A typical “super-mix” deicer containing 10% 32% CaCl₂, 15% beet juice and 75% 23.3% NaCl, is **400% more corrosive** than BHC.
- Deicers containing beet juice and 23.3% NaCl brine are significantly more corrosive than BHC and they don’t even contain performance enhancing exothermic chlorides.

K-Tech uses all natural sugars to reduce BHC’s corrosion rate. Many, if not all, deicers claiming similar corrosion rates contain added chemicals to reduce corrosion values because they do not contain enough sugar to reduce corrosion values much. BHC contains no added corrosion inhibiting chemicals, just all natural sugar.

NACE Standard TM0169-95 as modified by the
Pacific Northwest Snowfighters
Relative Corrosion





TECHNICAL DATA SHEET

DESCRIPTION

BEET HEET® Concentrate (BHC) is an organic based, corrosion inhibited, liquid deicer. BHC is a ready-to-use salt stockpile treatment. BHC can also be cut 50/50 with low cost 23.3% Sodium Chloride (NaCl) brine to create BEET HEET® Severe (BHS) a low cost, high performance, salt pre-wetting agent or direct application deicer/anti-icer.

COMPOSITION

- Beet Molasses (Liquid Sugar)
- Calcium Chloride (Liquid CaCl_2) (Exothermic Chloride)
- Magnesium Chloride (Liquid MgCl_2) (Exothermic Chloride)
- Potassium Chloride (Liquid KCl) (Non-exothermic Chloride)
- Sodium Chloride (Liquid NaCl) (Non-exothermic Chloride)

PERFORMANCE

- BHC, contains more total active ingredient than any deicer in North America.
- BHC and BHS have greater ice melt capacities than 32% CaCl_2 , 28% MgCl_2 , and “beet juice” deicers, at all temperature ranges.
- BHC and BHS provide far superior anti-bonding and residual effects than 32% CaCl_2 , 28% MgCl_2 , and 23.3% NaCl deicers.

ENVIRONMENT

- BHC and BHS have passed the rigorous testing standards of the Pacific Northwest Snowfighters and are **listed on the Clear Roads Qualified Products List**.
- BHC is **99% biodegradable**, and achieves the “**readily biodegradable**” criteria by day 8.
- BHC when blended with 23.3% NaCl brine 50/50 has a BOD (**Biochemical Oxygen Demand**) of “ND” (**NOT DETECTABLE**) at 4°C (39.2°F).
- Due to superior ice melting and residual performance, no other salt pre-wetting agent in North America can **reduce chloride emissions** as much as BHC and BHS.

TYPICAL PROPERTIES

Appearance	Dark Brown Liquid
pH	6.0 – 8.0
Specific Gravity	1.29 +/- .015
Lbs. Per Gallon	10.75 +/- 0.15
Solids Content	(39% wt/wt) (51% wt/vol) +/- 2%
Odor	Chocolate/Syrup/Coffee.

BEET HEET®

THE RED HOT GREEN DEICER

Best
Ice
Melter
Period!

Lowest
Priced
Concentrate
Available!

Your options

Self-cut Concentrate

- BEET HEET® CONCENTRATE** with **4 Chlorides** & **4 Carbohydrates** = \$1.56 per gal
- BEET HEET® CONCENTRATE** cut 1:1 with your brine to make **BEET HEET® SEVERE**
- BEET HEET® CONCENTRATE** cut 2:3 with your brine to make **BEET HEET® MODERATE**
- BEET HEET® CONCENTRATE** cut 1:2 with your brine to make **BEET HEET® TYPICAL**

Self-Blended “Super-Blends”

Costing examples with self-manufactured NaCl brine at \$0.20 per gallon

- BEET HEET® SEVERE** = **50% CONCENTRATE** + **50% NaCl** = \$0.98 per gal
- BEET HEET® MODERATE** = **40% CONCENTRATE** + **60% NaCl** = \$0.75 per gal
- BEET HEET® TYPICAL** = **33% CONCENTRATE** + **67% NaCl** = \$0.66 per gal

PRICES DO NOT INCLUDE FREIGHT



TRANSITION MADE SUPER SIMPLE

If the operator knows the blend loaded and the surface temperature, they'll know the proper rate!

Operator Cab Card							
Suggested* Salt <u>Pre-Wetting</u> Blend & Application Rates							
Deicer Blend		BEET HEET Concentrate	BEET HEET Severe Super Severe	BEET HEET Moderate	BEET HEET Typical	BEET HEET 30/70	BEET HEET 25/75
Blend Ratio	% of BEET HEET Concentrate	100	50	40	33	30	25
	% of 23.3% NaCl Brine	0	50	60	67	70	75
Deicer application Rate (Gallons/Ton)		5	10	12.5	15	16.5	20
25°F ↑ Salt Application Rate (Pounds L/M)							
25°F ↓ Salt Application Rate (Pounds L/M)							
20°F ↓ Salt Application Rate (Pounds L/M)							
15°F ↓ Salt Application Rate (Pounds L/M)							
10°F ↓ Salt Application Rate (Pounds L/M)							
5°F ↓ Salt Application Rate (Pounds L/M)							
0°F ↓ Salt Application Rate (Pounds L/M)							
The effective low working surface temperature of rock salt treated with a 50/50 BHC/NaCl brine pre-wet is -22.5°F.							

All rates provided to new customers



Denver Preston
 P.O. Box 428, 111 W Garfield St
 Ashley, IN 46705
 Cell/Text 1-260-585-0332
dpreston@ktechcoatings.com
www.ktechcoatings.com

The data and information presented herein are based upon tests, research and reports which are considered to be reliable and accurate. The data and information are presented without warranty, guarantee or liability on our part, and are presented to the customer for his or her own consideration, investigation and verification. Because of numerous factors affecting test results, seller makes no warranty of any kind, express or implied, other than the product conforms to its applicable current standard specifications.